

TENTATIVE  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION  
ORDER R5-2021-xxxx  
RESCINDING VARIOUS WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Board adopted the following Order, which is no longer applicable for the reasons shown:

**a) IRISH HILL QUARRY, AMADOR COUNTY, WASTE DISCHARGE  
REQUIREMENTS ORDER R5-2014-0109**

Waste Discharge Requirements Order R5-2014-0109, adopted on 8 August 2014, prescribes requirements for Irish Hill Quarry in Amador County. On 20 May 2021, Newman Minerals, LLC submitted a letter requesting to rescind WDRs R5-2014-0109, because there has been no process water at Irish Hill Quarry since March 2020 and all operations have ceased entirely. Therefore, it is appropriate to rescind Order R5-2014-0109.

IT IS HEREBY ORDERED that the above Order is to be rescinded.

I, PATRICK PULUPA, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on XX August 2021.

---

PATRICK PULUPA, Executive Officer